

Test Report

Document QF : 2501

Page 1 of 4

Issued To ADITI ORGANIC CERTIFICATIONS PVT LTD NO-38 1st floor, 20th Main road, Rajajinagar Bengaluru	Sample Reg. No. : F01-2003060114 Sample Reg. Date : 06-03-2020 Report Date : 13-03-2020 Report No. : ICF-2003130417 NABL ULR No. : TC592620000002329P Customer Ref. No.: Letter Letter Dated : 06-03-2020
---	--

Test Report as per IS : N/A	With Amendment No.(s): N/A
------------------------------------	-----------------------------------

PART A : PARTICULARS OF SAMPLE SUBMITTED

a)	Nature of Sample #	White Poha Thin/Rice Flakes
b)	Grade / Variety / Type / Class / Size etc.	N/A
c)	Brand Name	NA
d)	Declared Values, if any	N/A
e)	Code No.	
f)	Batch Number #	ORG-1910-002723 (POR1019019)
g)	D.O.M #	22.11.2019
h)	Date of Expiry #	N/A
i)	Sample Quantity #	1 Pack
j)	Batch Size #	N/A
k)	Mode of Packing	Packed in a sealed original packing
l)	Date of Receipt	06-03-2020
m)	Date of Start	06-03-2020
n)	Date of Completion	13-03-2020
o)	BIS Seal (Intact/Not Intact/Unsealed)	Unsealed
p)	IO'S Signature (Signed/Unsigned)	Unsigned
q)	Any Other Information	N/A
r)	Submitted By	ADITI ORGANIC CERTIFICATIONS PVT LTD - Bengaluru(Karnataka)
s)	Manufactured By #	ADITI ORGANIC CERTIFICATIONS PVT LTD
t)	Supplied By #	ADITI ORGANIC CERTIFICATIONS PVT LTD

PART B : SUPPLIMENTARY INFORMATIONS

Shikha

Shikha
13-03-2020
Reviewer

Dr. Indra Rai

13-03-2020
Dr. Indra Rai
[Authorized Signatory]

Interstellar Testing Centre Pvt. Ltd.

(ISO 9001:2015 & 14001:2015 OHSAS 18001:2007 Certified Laboratory)

(A Government Approved Test House)

86, Industrial Area, Phase-I, Panchkula-134109 (Haryana)

Phone : (O) 0172-2561543, 2565825,

Visit us: www.itclabs.com E-mail : customersupport@itclabs.com

Disclaimer:

1. Sample (s) not drawn by us unless otherwise stated.
2. Total Liability of this Laboratory is limited to the Invoiced amount.
3. Test certificates in full or parts shall not be used for promotional or Publicity purpose.
4. If sample is not consumed during analysis, it will be stored as per SOP of controlled sample management.

Issued To ADITI ORGANIC CERTIFICATIONS PVT LTD NO-38 1st floor , 20th Main road , Rajajinagar Bengaluru	Sample Reg. No. : F01-2003060114 Sample Reg. Date : 06-03-2020 Report Date : 13-03-2020 Report No. : ICF-2003130417 NABL ULR No. : TC592620000002329P Customer Ref. No. : Letter Letter Dated : 06-03-2020
---	---

a. Reference to sampling procedure, whenever applicable	: N/A
b. Supporting documents for the measurement taken and results derived like graphs, tables, sketches and / or photographs as appropriate to test reports, if any	: Graph
c. Deviation from the test methods as prescribed in relevant ISS/WORK Instruments, if any	: N/A

PART C : TEST RESULTS

Description

Description	White Poha Thin/Rice Flakes
-------------	-----------------------------

S.No.	Test Parameter	Inst. Used	Method	Requirement	Result
-------	----------------	------------	--------	-------------	--------

Test Details :

I.	Pesticide Residue (mg/kg)	Inst. Used	Method	Requirement	Result
a.	Acephate	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
b.	Formothion *	GCMSMS	STP/ITC/FC/022		BLQ (LOQ:0.01)
c.	Diazinon (Dimpylate)	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
d.	Dimethoate	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
e.	Ethion	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
f.	Etrimfos	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
g.	Fenthion	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
h.	Fenthion-sulfone	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
i.	Iprobenfos	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
j.	Malaoxon	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
k.	Malathion	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
l.	Methamidophos	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
m.	Monocrotophos (Azodrin)	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
n.	Omethoate	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
o.	Paraaxon-methyl	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
p.	Phorate (Isothioate)	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
q.	Phorate Sulfone	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)

Shikha

Shikha
13-03-2020
Reviewer

Dr. Indra Rai

13-03-2020
Dr. Indra Rai
[Authorized Signatory]

Interstellar Testing Centre Pvt. Ltd.

(ISO 9001:2015 & 14001:2015 OHSAS 18001:2007 Certified Laboratory)

(A Government Approved Test House)

86, Industrial Area, Phase-I, Panchkula-134109 (Haryana)

Phone : (O) 0172-2561543, 2565825,

Visit us: www.itclabs.com E-mail : customersupport@itclabs.com

Disclaimer:

1. Sample (s) not drawn by us unless otherwise stated.
2. Total Liability of this Laboratory is limited to the Invoiced amount.
3. Test certificates in full or parts shall not be used for promotional or Publicity purpose.
4. If sample is not consumed during analysis, it will be stored as per SOP of controlled sample management.

Test Report

Document QF : 2501

Page 3 of 4

Issued To ADITI ORGANIC CERTIFICATIONS PVT LTD NO-38 1st floor , 20th Main road , Rajajinagar Bengaluru	Sample Reg. No. :F01-2003060114 Sample Reg. Date :06-03-2020 Report Date :13-03-2020 Report No. :ICF-2003130417 NABL ULR No. :TC592620000002329P Customer Ref. No.: Letter Letter Dated :06-03-2020
---	--

r.	Phosalone	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)
s.	Phosphamidon	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)
t.	Profenophos	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)
u.	Temephos	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)
v.	Triazophos	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)
w.	4-Bromo-2chlorophenol *	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
x.	Aldrin	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
y.	Chlorfenvinphos	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
z.	Chlorothalonil	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
aa.	Chlorpyrifos	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
ab.	Chlorpyrifos-methyl	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
ac.	Dicofol *	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
ad.	Dieldrin	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
ae.	Endosulfan I (alpha isomer)	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
af.	Endosulfan II (beta isomer)	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
ag.	Endosulfan sulfate *	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
ah.	Endrin *	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
ai.	Fenitrothion	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
aj.	Hexachlorobenzene	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
ak.	Parathion-methyl	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
al.	Quinalphos	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
am.	Azinphos-ethyl *	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
an.	Fenamiphos *	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
ao.	Glufosinate-ammonium (sum of glufosinate, its salts, MPP and NAG expressed as glufosinate equivalents) *	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)
ap.	Hexachlorocycle hexane Gamma	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
aq.	Thiometon	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)
ar.	Chlordane	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
as.	Beta HCH	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)

Shikha

Shikha
13-03-2020
Reviewer

Dr. Indra Rai

13-03-2020
Dr. Indra Rai
[Authorized Signatory]

Interstellar Testing Centre Pvt. Ltd.

(ISO 9001:2015 & 14001:2015 OHSAS 18001:2007 Certified Laboratory)

(A Government Approved Test House)

86, Industrial Area, Phase-I, Panchkula-134109 (Haryana)

Phone : (O) 0172-2561543, 2565825,

Visit us: www.itclabs.com E-mail : customersupport@itclabs.com

Disclaimer:

1. Sample (s) not drawn by us unless otherwise stated.
2. Total Liability of this Laboratory is limited to the Invoiced amount.
3. Test certificates in full or parts shall not be used for promotional or Publicity purpose.
4. If sample is not consumed during analysis, it will be stored as per SOP of controlled sample management.

Test Report

Document QF : 2501

Page 4 of 4

Issued To ADITI ORGANIC CERTIFICATIONS PVT LTD NO-38 1st floor , 20th Main road , Rajajinagar Bengaluru	Sample Reg. No. :F01-2003060114 Sample Reg. Date :06-03-2020 Report Date :13-03-2020 Report No. :ICF-2003130417 NABL ULR No. :TC592620000002329P Customer Ref. No.: Letter Letter Dated :06-03-2020
---	--

at.	Dichlorvos-wrong	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)
au.	Delta HCH	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
av.	Alpha HCH	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
aw.	Heptachlor and its epoxide	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
ax.	Pirimiphos-methyl, mg/kg	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)
ay.	Edifenphos	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)
az.	Phenthoate	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)
ba.	Trichlorfon	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
bb.	2,4-DDD	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
bc.	2,4-DDE	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
bd.	2,4-DDT	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
be.	4,4-DDD	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
bf.	4,4-DDE	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
bg.	4,4-DDT	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
bh.	Demton-S-Methyl *	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
bi.	Fenthion-sulfoxide *	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)
bj.	Fenthion-oxon *	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)
bk.	Demeton-S-methyl-sulfone	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)
bl.	Glyphosate	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)

* represents categories/test parameters not covered under NABL | *** represents outsource sample | # represents Customer Defined Fields

NOTE : BLQ- Below Limit Of Quantification , LOQ- Limit of Quantification

PART D : REMARKS :Party has asked for the above tests only.

*****End Of Report*****

Shikha

Shikha
13-03-2020
Reviewer

Dr. Indra Rai

13-03-2020
Dr. Indra Rai
[Authorized Signatory]

Interstellar Testing Centre Pvt. Ltd.

(ISO 9001:2015 & 14001:2015 OHSAS 18001:2007 Certified Laboratory)

(A Government Approved Test House)

86, Industrial Area, Phase-I, Panchkula-134109 (Haryana)

Phone : (O) 0172-2561543, 2565825,

Visit us: www.itclabs.com E-mail : customersupport@itclabs.com

Disclaimer:

1. Sample (s) not drawn by us unless otherwise stated.
2. Total Liability of this Laboratory is limited to the Invoiced amount.
3. Test certificates in full or parts shall not be used for promotional or Publicity purpose.
4. If sample is not consumed during analysis, it will be stored as per SOP of controlled sample management.